


CURVES
B-160L



Series 60

Maintenance Free In-Line Mounted Centrifugal Pumps

**SERIES 60 STOCK PUMPS
BRONZE FITTED CONSTRUCTION
SINGLE PHASE UNITS**

B-160L

PART #	MODEL	PUMP SIZE	MOTOR HP	IMPELLER DIA.
172701LF	601S	1x1x51/4	1/4	4.38"
172702LF	602S	1x1x51/4	1/3	4.84"
172703LF	603S	1x1x51/4	1/2	5.25"
172707LF	604S	11/4x11/4x51/4	1/4	4.38"
172708LF	605S	11/4x11/4x51/4	1/3	4.84"
172667LF	606S	11/4x11/4x51/4	1/2	5.25"
172712LF	607S	11/2x11/2x51/4	1/3	4.38"
172713LF	608S	11/2x11/2x51/4	1/2	4.94"
172668LF	609S	11/2x11/2x51/4	3/4	5.25"
172717LF	610S	2x2x51/4	1/2	4.12"
172718LF	611S	2x2x51/4	3/4	4.75"
172669LF	612S	2x2x51/4	1	5.25"
172948LF	626S	3x3x51/4	3/4	4.38"
172952LF	627S	3x3x51/4	11/2	5.25"
172755LF	621S	11/2x11/2x61/4	1/2	4.88"
172722LF	613S	11/2x11/2x61/4	3/4	5.75"
172670LF	614S	11/2x11/2x61/4	1	6.25"
172723LF	615S	2x2x61/4	3/4	5.62"
172671LF	616S	2x2x61/4	1	6.22"
172757LF	622S	11/2x11/2x7	3/4	5.50"
172758LF	623S	11/2x11/2x7	1	6.00"
172724LF	617S	11/2x11/2 x7	11/2	6.50"
172761LF	624S	2x2x7	1	5.69"
172762LF	625S	2x2x7	11/2	6.12"

THREE PHASE UNITS

PART #	MODEL	PUMP SIZE	MOTOR HP	IMPELLER DIA.
172725LF	601T	1x1x51/4	1/4	4.38"
172726LF	602T	1x1x51/4	1/3	4.84"
172727LF	603T	1x1x51/4	1/2	5.25"
172731LF	604T	11/4x11/4x51/4	1/4	4.38"
172732LF	605T	11/4x11/4x51/4	1/3	4.84"
172733LF	606T	11/4x11/4x51/4	1/2	5.25"
172737LF	607T	11/2x11/2x51/4	1/3	4.38"
172738LF	608T	11/2x11/2x51/4	1/2	4.94"
172739LF	609T	11/2x11/2x51/4	3/4	5.25"
172743LF	610T	2x2x51/4	1/2	4.12"
172744LF	611T	2x2x51/4	3/4	4.75"
172745LF	612T	2x2x51/4	1	5.25"
172949LF	626T	3x3x51/4	3/4	4.38"
172953LF	627T	3x3x51/4	11/2	5.25"
172756LF	621T	11/2x11/2x61/4	1/2	4.88"
172749LF	613T	11/2x11/2x61/4	3/4	5.75"
172750LF	614T	11/2x11/2x61/4	1	6.25"
172751LF	615T	2x2x61/4	3/4	5.62"
172752LF	616T	2x2x61/4	1	6.22"
172759LF	622T	11/2x11/2x7	3/4	5.50"
172760LF	623T	11/2x11/2x7	1	6.00"
172753LF	617T	11/2x11/2x7	11/2	6.50"
172672LF	618T	11/2x11/2x7	2	7.00"
172763LF	624T	2x2x7	1	5.69"
172764LF	625T	2x2x7	11/2	6.12"
172754LF	619T	2x2x7	2	6.50"
172673LF	620T	2x2x7	3	7.00"

Pump Construction:
Standard Buna/Carbon-Ceramic Seal, maximum 175 psi working pressure, motors are 1750 RPM ODP.
Three Phase are 208-230/460 volts, Single Phase 115/230 volts.

SERIES 60 STOCK PUMPS ALL BRONZE CONSTRUCTION

B-160L

SINGLE PHASE UNITS



PART #	MODEL	PUMP SIZE	MOTOR HP	IMPELLER DIA.
172704LF	B601S	1x1x5 ¹ / ₄	1/4	4.38"
172705LF	B602S	1x1x5 ¹ / ₄	1/3	4.84"
172706LF	B603S	1x1x5 ¹ / ₄	1/2	5.25"
172709LF	B604S	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/4	4.38"
172710LF	B605S	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/3	4.84"
172711LF	B606S	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/2	5.25"
172714LF	B607S	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	1/3	4.38"
172715LF	B608S	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	1/2	4.94"
172716LF	B609S	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	3/4	5.25"
172719LF	B610S	2x2x5 ¹ / ₄	1/2	4.12"
172720LF	B611S	2x2x5 ¹ / ₄	3/4	4.75"
172721LF	B612S	2x2x5 ¹ / ₄	1	5.25"
172950LF	B626S	3x3x5 ¹ / ₄	3/4	4.38"
172954LF	B627S	3x3x5 ¹ / ₄	1 ¹ / ₂	5.25"
172771LF	B621S	1 ¹ / ₂ x1 ¹ / ₂ x6 ¹ / ₄	1/2	4.88"
172773LF	B614S	1 ¹ / ₂ x1 ¹ / ₂ x6 ¹ / ₄	1	6.25"
172775LF	B615S	2x2x6 ¹ / ₄	3/4	5.62"

THREE PHASE UNITS



PART #	MODEL	PUMP SIZE	MOTOR HP	IMPELLER DIA.
172728LF	B601T	1x1x5 ¹ / ₄	1/4	4.38"
172729LF	B602T	1x1x5 ¹ / ₄	1/3	4.84"
172730LF	B603T	1x1x5 ¹ / ₄	1/2	5.25"
172734LF	B604T	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/4	4.38"
172735LF	B605T	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/3	4.84"
172736LF	B606T	1 ¹ / ₄ x1 ¹ / ₄ x5 ¹ / ₄	1/2	5.25"
172740LF	B607T	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	1/3	4.38"
172741LF	B608T	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	1/2	4.94"
172742LF	B609T	1 ¹ / ₂ x1 ¹ / ₂ x5 ¹ / ₄	3/4	5.25"
172746LF	B610T	2x2x5 ¹ / ₄	1/2	4.12"
172747LF	B611T	2x2x5 ¹ / ₄	3/4	4.75"
172748LF	B612T	2x2x5 ¹ / ₄	1	5.25"
172951LF	B626T	3x3x5 ¹ / ₄	3/4	4.38"
172955LF	B627T	3x3x5 ¹ / ₄	1 ¹ / ₂	5.25"
172772LF	B621T	1 ¹ / ₂ x1 ¹ / ₂ x6 ¹ / ₄	1/2	4.88"
172774LF	B614T	1 ¹ / ₂ x1 ¹ / ₂ x6 ¹ / ₄	1	6.25"
172776LF	B615T	2x2x6 ¹ / ₄	3/4	5.62"

Pump Construction: Standard Buna/Carbon-Ceramic Seal, maximum 175 psi working pressure, motors are 1750 RPM ODP. Three Phase are 208-230/460 volts, Single Phase 115/230 volts.



SERIES 60 BUILT-TO-ORDER PUMP PERFORMANCE CURVES





SERIES 60 BUILT-TO-ORDER PUMP PERFORMANCE CURVES




SERIES 60 BUILT-TO-ORDER PUMP PERFORMANCE CURVES



SERIES 60 BUILT-TO-ORDER PUMP PERFORMANCE CURVES



SERIES 60 BUILT-TO-ORDER PUMP PERFORMANCE CURVES



Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're 12,500 people unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation.

For more information on how Xylem can help you, go to www.xylem.com



Xylem Inc.
 8200 N. Austin Avenue
 Morton Grove, Illinois 60053
 Phone: (847) 966-3700
 Fax: (847) 965-8379
www.xylem.com/brands/bellgossett

Bell & Gossett is a trademark of Xylem Inc. or one of its subsidiaries.
 © 2012 Xylem Inc. B-160L September 2012