



Models: NVA-85 to NVA-800L

Submittal Sheet No	.A-1012B	Rev. 1	4/25/2019
---------------------------	----------	--------	-----------

Job Name _ Location _	Submitted By Approved By Order No.		Date Date Date
Engineer _ Contractor _ Sales Rep	Notes		
Description:	Constr	ruction:	

Wessels NVA Tanks are ASME removable bladder type pre-charged expansion tanks. They are designed to absorb the expansion forces and control the pressure in heating/cooling systems. The system's expanded water (fully compatible with water/glycol mixtures) is contained in a full acceptance heavy-duty butyl bladder that prevents tank corrosion and waterlogging problems. All NVA expansion tanks can be installed vertically or horizontally.

Shell: Carbon Steel

Bladder: Heavy Duty Butyl

System Connection: Carbon Steel

Design Parameters:

Maximum Design Temperature: 240°F Maximum Design Pressure: 125 PSIG*

*200 & 250 PSIG available

MODEL NUMBER	PART NUMBER	TANK VOLUME (GALLONS)	TAGGING INFORMATION	QUANTITY
NVA-85	22000085	23		
NVA-130	22000130	35		
NVA-200	22000200	53		
NVA-300	22000300	79		
NVA-400	22000400	106		
NVA-500	22000500	132		
NVA-600	22000600	158		
NVA-800L	22000805	211		

Typical Specification:			
Furnish and install, as shown on plans, a	gallon	" diameter X	***
(high) pre-charged steel expansion tank with connections and a 0.302"-32 charging valve construct that to meet system requirements. The twertical installation. The tank must be construct Division 1 of the ASME Boiler and Pressure Vesse	onnection (standard tire v tank shall be fitted with lift ted in accordance with r	alve) to facilitate the on-site ing rings and a floor mountir	charging ng skirt for
Each tank shall be Wessels model number NVA	or approv	red equal.	









Models: NVA-85 to NVA-800L

Submittal Sheet No. A-1012B **Rev.** 1 4/25/2019





NVA-85 thru NVA-800L

Dimensions & Weights:

Model Number	DIMENSIONS IN INCHES					Approx. Shipping Weight (lbs)		
Model Northber	Α	В	С	D	Е	F	Weight (lbs)	
NVA-85	16	37	37 1	12 16		90		
NVA-130	20				16	5 1/4	125	
NVA-200	24	43			20		210	
NVA-300		55		0.302"-			225	
NVA-400	30	49	1 1/2	32NC	24	5 1/2	300	
NVA-500		57	1 1/2				330	
NVA-600		65				4 3/4	360	
NVA-800L	32	76				28		475

Notes:

- Tanks are factory pre-charged at 12 psi and field adjustable.
- California code-sight glass is available upon request.
- Available with mounting clips.

